Application Serial No. 10/667,838
Reply to Office Action of Aug. 8, 2006

PATENT Docket: CU-3657

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application:

Jung-Seon Park

GRP ART UNIT: 1744

Serial No:

10/667,838

Ex.: Guidotti, Laura Cole

Filed:

09/22/2003

Confirm No. 1024

For:

Height Adjusting Apparatus for Suction Brush of Upright Vacuum

Cleaner

Certification under 37 C.F.R. §1.8(a)

I he eby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with The United States Postal Service with sufficient postage as first class mail in an envelope addressed to The Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450 on November 3, 2006;

Joseph P. Krause

AMENDMENT UNDER 37 CFR 1.111

Mail Stop Amendment

The Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450

Sir:

In response to the office action dated August 8, 2006, setting a 3-month shortened statutory period for a reply ending on November 8, 2006, applicant submits the following responsive amendment in the above-identified application.

Amendments to the Specification begin on page 3 of this paper.

Amendment to the Drawings begin on page 4 of this paper and include both an attached replacement sheet and an annotated sheet showing changes.

Amendments to the Claims are reflected in the listing of claims, which begins

Application Serial No. 10/667,838 Reply to Office Action of Aug. 8, 2006

PATENT Docket: CU-3657

on page 5 of this paper.

Remarks/Arguments begin on page 9 of this paper.

An **Appendix** including amended drawing figures is attached following the last page of this paper.